

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

-----X	
In re Application of	:
	:
<b>GANGULY <i>et al.</i></b>	: Examiner: Lewis, Patrick T.
	:
Appln. No.: <b>09/837,491</b>	: Group Art Unit: 1623
	:
Filed: <b>April 18, 2001</b>	:
	:
<b>Patent No. 6,924,270 B2</b>	: Issue date: <b>August 2, 2005</b>
	:
For: <b>Ribavirin-Interferon Alfa Combination</b>	:
<b>Therapy for Eradicating Detectable HCV-RNA in</b>	:
<b>Patients Having Chronic Hepatitis C Infection</b>	:
-----X	

Attn: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**REQUEST FOR A CERTIFICATE OF CORRECTION UNDER C.F.R. 1.322**

Sir:

This is a request for correction of the above-identified U.S. patent in view of errors which apparently occurred through the fault of the USPTO during the printing of the patent.

The following corrections are requested to conform the issued claims to Applicants' Amendment filed December 18, 2003, as amended by the Examiner's Amendment mailed with the Notice of Allowance on April 6, 2004:

Claim 1, column 77, line 41: delete "at least one of";

Claim 1, column 77, line 43: after the word "wherein", insert --at least one of --;

Claim 14, column 80, line 1, delete "at least one of"; and


Claim 14, column 80, line 3, after the word "wherein", insert --at least one of --.

These corrections are listed on the enclosed Certificate of Correction (Form PTO/SB/44).

Patentees' undersigned attorney respectfully asserts that the above corrections to the printed claims are required because of USPTO error and thus no fee is due for obtaining a certificate of correction. Please contact the undersigned attorney with any questions.

February 15, 2007  
SCHERING-PLOUGH CORPORATION  
Patent Department, K-6-1, 1990  
2000 Galloping Hill Road  
Kenilworth, New Jersey 07033-0530  
Telephone: (908) 298-7482  
Facsimile: (908) 298-5388

Respectfully submitted,

  
Melodie W. Henderson  
Reg. No. 37,848

Docket Number: IN0931XK

Application No: 09/837491

Filing Date: 04/18/2001

Express Mail Label:

PTO/SB/44 (04-04)

Approved for use through 04/30/2007. OMB 0651-0033

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.  
(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6924270 B2

DATED : 08/02/2005

INVENTOR(S) : GANGULY, Ashit K

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 1, column 77, line 41: delete "at least one of"; at line 43, after the word "wherein" insert --at least one of--.

Claim 14, column 80, line 1: delete "at least one of"; at line 3, after the word "wherein" insert --at least one of--.

### MAILING ADDRESS OF SENDER:

MELODIE W. HENDERSON

Schering-Plough Corporation, Patent Dept, K-6-1, 1990  
2000 Galloping Hill Road, Kenilworth NJ 07033-0530

PATENT NO. 6924270 B2

No. of additional copies



0

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*